



Nebra Pendant

In a delicate dance between tradition and contemporary dynamism, the Nebra Series emerges—an eloquent response to the timeless pursuit of change. Seamlessly weaving classic design with an interactive, transformative mechanism, the Nebra Series allows you to sculpt your ambience with a soft, sweeping motion, creating a symphony of lighting moods—from ambient glows to intimate downcast. Versatile and poetic, this collection finds its place in diverse spaces, embodying a celebration of light and form.

Product highlights

- Part of the Nebra family that offers a wall lamp and pendants in various sizes.
- Incorporates a transformative mechanism enabling the lamp to alter its shape and provide various types of lighting.
- Compliant with CE, RCM and ETL standards for use in both EU, AU and US markets.
- Available in two sizes.



Product Type Pendant Lamp, Lighting

Designer Lukas Bazle, 2023

About the Designer Fueled by a passion for blending functional solutions with engaging interactivity, industrial designer Lukas Bazle crafts captivating designs that gracefully navigate the boundary between the technical and the intuitive. Every creation emanates a keen aspiration to spark and sustain fascination with the product—a message that carries on from the experimental genesis through the developmental stages and ultimately into the user's home.

Environment Indoor

Country of Origin PRC

Assembly Requirements Preassembled

Material The Nebra Pendant lamp features a plissé shade made of PES textile. The shade is pressed with a stiff plastic film to provide it with structure and rigidity for repeated use. The mechanical ring and fittings inside the shade are directly linked to the LED module, which is made of cast aluminum and steel tubes.

Light Source included Yes

Cleaning & Care Turn off the electricity before cleaning the lamp. Wipe the product with a soft dry cloth. Do not use any abrasive cleaning tools, and never use strong cleaning agents such as household glass cleaner, white spirit, or turpentine.




Dimensions

Small

Height: 300 mm / 11.8"
Width: 400-700 mm / 5.7-26.7"
Depth: 400-700 mm / 5.7-26.7"
Cord Length: 5000 mm / 196.9"
Canopy: Ø155 mm x H 40 mm /
Ø6.5" x H 1.6"

Large

Height: 380 mm / xx"
Width: 500-900 mm / xx"
Depth: 500-900 mm / xx"
Cord Length: 5000 mm / 196.9"
Canopy: Ø155 mm x H 40 mm /
Ø6.5" x H 1.6"




Packaging Dimensions

Small

Height: 560 mm / 22"
Width: 600 mm / 23.6"
Depth: 560 mm / 22"

Large

Height: 640 mm / 25.2"
Width: 660 mm / 26"
Depth: 640 mm / 25.2"



Weight

Small

1.8 kg / 4 lbs

Large

21 kg / 4.6 lbs

Weight Incl Packaging

Small

7.2 kg / 15.9 lbs

Large

9.1 kg / 20.1 lbs

Versions



Item No: 22220
Variant: Small Ø400-700



Item No: 22210
Variant: Large Ø500-900

Lamp Rating	Voltage	CE: 220-240 V, ETL: 110-120 V
	Frequency	50/60 Hz
	IP-Rating	IP20
	Classification	Class I

Light Source Specification	Item	LED
	Watt	22 W
	Lumen	1500 lm
	Lumen Maintenance	200000 h
	Kelvin	2700 K
	CRI	8000
	Dimmable	Yes
	SDCM Curve	3

Tests & Certificates	Lighting Certifications
	CE, ETL, FCC, RCM

High res images and 2D/3D files available for download at:
newworks.presscloud.com