

FRITZ HANSEN



ONELINE™
PRODUCT FACT SHEET

ONELINE™

Applying design to everyday, functional objects, Oneline™ is a purposeful pendant light with an artistic expression. The minimalist pendant, designed in collaboration with artist Kasper Friis Kjeldgaard, is shaped from metal into a sleek line of light, suspended from silver-tone cables to elegantly illuminate space. Referencing Poul Kjærholm's purist lines and minimal use of materials, it is fitted with long-lasting LED technology and is dimmable so it can provide ambient and task lighting in a range of settings – from the kitchen to the office.

PRODUCT TYPE

Pendant

ENVIRONMENT

Indoor

DESIGNER / YEAR OF DESIGN

Kasper Friis Kjeldgaard, 2022

DESIGNER

In the handful of years since Danish designer Kasper Friis Kjeldgaard graduated from the Royal Danish Academy of Fine Arts, he's well and truly earned himself a seat at the table. In an extraordinarily short space of time, he's been crowned Craftsman of the Year at the Danish Design Awards, received the DUKE grant from the Danish Arts Foundation and scored a permanent collection at Designmuseum Danmark. Kjeldgaard's work has a refined expression with a clear emphasis on craftsmanship. From permanent public or private installations to interior design objects and lightning, his work has gained international recognition and been exhibited in Los Angeles, Miami, New York and Milan.

MODEL

Oneline-S

VARIANTS



Brass

Steel

Black PVD

MATERIAL

Shade: Hairline brushed stainless steel,
Untreated brass*

Suspension: Hairline brushed stainless steel,
Untreated brass*

Cord and wire: Wire ("naked")

*Please note that brass will patinate

FEATURES

- Build in LED
- Light source included
- Possible to build light lines with connection piece

CONNECTOR

- The connector offers the possibility to join two lamps seamlessly
- Available in all three colours at a fixed length of 6,3 cm / 2.5", join multiple lamps using the connector for additional length
- Note that each lamp must be installed as a standalone, as the connector does not transfer electricity

WARRANTY

2 years

CERTIFICATIONS AND DECLARATIONS

CE, CB

LAMP RATING AND SPECIFICATIONS

Voltage: 230 V

Frequency: 50-60 Hz

IP Rating: IP20

Isolation class: Class II

Light source included: Yes (LED)

Replaceable LED: No

Dimmable: Yes with external DALI equipment

Energy label: G

COUNTRY OF ORIGIN

China

PRE-ASSEMBLED

No

PACKAGING

The pendant is protected with foam inserts and shipped in cardboard. All packaging material can be recycled.

CLEANING AND CARE

Find recommendations for cleaning and care at: fritzhanzen.com/maintenance

REPAIR, DISPOSAL AND REUSE

In case of repair and disposal the pendant can be disassembled into parts. All parts can be recycled. Check local regulations for recycling options and whether there is potential for reuse.

SPARE PARTS

Inquiries regarding spare parts can be sent to: salesupport@fritzhanzen.com

SPECIFICATIONS

DIMENSIONS

Height: 1,6 cm / 0.62"
 Width: 86,4 cm / 34"
 Depth: 1,6 cm / 0.62"

WEIGHT

1,2 kg / 2.6 lb

CORD

Length: 12 m / 472.4"
 Material: Wire ("naked")
 Colour: Silver

CANOPY

Included: Yes
 Material: Steel

LIGHT SOURCE

Lamp base: LED array
 Max wattage: 24,95W
 LOR: 100%
 LED lifetime (lumen maintenance): 48.000 H L80
 Lumen output: 1591 lm
 Colour temperature: 2700 k
 CRI: 90
 SDCM: 3

LED FACTS

Flicker Pst LM: 0,0709
 Flicker SVM: 0,0154
 Driver lifetime: 7 years 3% failure, 10 years 5% failure
 LED risk group: Risk group 0

PRODUCT CODE

Brass: 14290518
 Steel: 14290600
 Black PVD: 14290708

Connector Unit Brass: 18631518
 Connector Unit Steel: 18631600
 Connector Unit Black PVD: 18631708

EAN

Brass: 5702370000820
 Steel: 5702370000837
 Black PVD: 5702370000844

Connector Unit Brass: 5702370001025
 Connector Unit Steel: 5702370001032
 Connector Unit Black PVD: 5702370001049

PACKAGING

Height: 6,5 cm / 2.6"
 Width: 99 cm / 39"
 Depth: 14 cm / 5.5"
 Weight: 1,7 kg / 3.7 lb

COLLI

8

