

NEMO

IN THE WIND PENDANT HORIZONTAL

Arihiro Miyake

Floor and pendant lamp for a warm and widespread LED lighting. The body is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo (patent pending). It allows a 360° LED emission. Heads are in die-casted aluminium. Diffusers are in opal metacrylate. Heads, base and arms are painted in matt white, matt black, titan grey and gold. For the floor version, switch and dimmer on the cable.



NEMO


IN THE WIND PENDANT HORIZONTAL

Arihiro Miyake

LED 3000K

Lamping

Source	linear LED
Total power	3x20W
Emission	diffused, 360°
Switching	dimnable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	5700lm
Typ cri	83
Energy class	A+
Materials	aluminium + PC
Notes	metal cable lenght 3m, electric cable lenght 5m, also available in 120V



Codes

ITW LWW 57

white

ITW LNW 57

white

ITW LGW 57

white

ITW LDW 57

white

Structure

white

black

gold

titan grey

Diffuseur

Package 1

Dimensions 28x28x195

Gross weight 7 Kg

NEMO


IN THE WIND PENDANT HORIZONTAL

Arihiro Miyake

LED 2700K

Lamping

Source	linear LED
Total power	3x20W
Emission	diffused, 360°
Switching	dimnable, DALI push
Tension	230V
Color temperature	2700K
Luminous flux	5700lm
Typ cri	83
Energy class	A+
Materials	aluminium + PC
Notes	metal cable lenght 3m, electric cable lenght 5m, also available in 120V



Codes

ITW LWW 56

white

ITW LNW 56

white

ITW LGW 56

white

ITW LDW 56

white

Structure

white

black

gold

titan grey

Diffuseur

Package 1

Dimensions 28x28x195

Gross weight 7 Kg